ADULT ADHD SELF-REPORT SCALE (ASRS-V1.1) SYMPTOM CHECKLIST

For Office Use	Patient ID:							
	Return to:							
Date:		Completed by:	Patie	ent	Otl	ner		
lf other, please sរុ	pecify relationship	to patient:						
shown using the so question, check the	ale on the right side	ting yourself on each of the criter of the page. As you answer each cribes how you have felt and onths.		Never	Rarely	Sometimes	Often	Very often
PART A								
	ou have trouble wra e challenging parts	pping up the final details of a have been done?						
	ou have difficulty ge a task that requires	tting things in order when organization?						
3. How often do yo obligations?	ou have problems r	emembering appointments or						1
	a task that requires delay getting starte	s a lot of thought, how often ed?						
	ou fidget or squirm down for a long time	with your hands or feet when e?						1
	ou feel overly active riven by a motor?	and compelled to do things,						<u> </u>
PART B								
7. How often do yo boring or difficu	ou make careless mis lt project?	stakes when you have to work on	а					
	ou have difficulty ke g or repetitive work	eping your attention when you						
	ou have difficulty cor they are speaking to	centrating on what people say to you directly?						<u> </u>
10. How often do y at work?	you misplace or have	e difficulty finding things at home o	or					
11. How often are	you distracted by a	ctivity or noise around you?						<u> </u>
12. How often do y which you are e	you leave your seat i expected to stay sea	n meetings or in other situations i ted?	n					
13. How often do y	you feel restless or f	idgety?						<u> </u>
14. How often do y have time to yo		winding and relaxing when you						l
15. How often do y social situation:		ing too much when you are in						
		ou find yourself finishing the sentence ney can finish it themselves?	es of					
17. How often do yo turn taking is r		ting your turn in situations when						
18. How often do y	ou interrupt others	when they are busy?						

ADULT ADHD SELF-REPORT SCALE (ASRS-V1.1) SYMPTOM CHECKLIST

	Total Count
Screener Score	
IA Count	
HI Count	

WEISS FUNCTIONAL IMPAIRMENT RATING SCALE – SELF REPORT (WFIRS-S)

For Office Use	Patient ID:Return to:	
Date:		Select occupation:
lf other, please s	specify:	

Pick the answer that best describes how your emotional or behavioural problems have affected each item in the last month.

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
Α	FAMILY					
1	Having problems with family					
2	Having problems with spouse/partner					
3	Relying on others to do things for you					
4	Causing fighting in the family					
5	Makes it hard for the family to have fun together					
6	Problems taking care of your family					
7	Problems balancing your needs against those of your family					
8	Problems losing control with family					
В	WORK					
1	Problems performing required duties					
2	Problems with getting your work done efficiently					
3	Problems with your supervisor					
4	Problems keeping a job					
5	Getting fired from work					
6	Problems working in a team					
7	Problems with your attendance					
8	Problems with being late					
9	Problems taking on new tasks					
10	Problems working to your potential					
11	Poor performance evaluations					
С	SCHOOL					
1	Problems taking notes					
2	Problems completing assignments					
3	Problems getting your work done efficiently					
4	Problems with teachers					
5	Problems with school administrators					
6	Problems meeting minimum requirements to stay in school					
7	Problems with attendance					
8	Problems with being late					
9	Problems with working to your potential					
10	Problems with inconsistent grades					
D	LIFE SKILLS					
1	Excessive or inappropriate use of internet, video games or TV					
2	Problems keeping an acceptable appearance					
3	Problems getting ready to leave the house					
4	Problems getting to bed					
5	Problems with nutrition					
	Problems with sex					
6	Problems with sex		1			

		Never or not at all	Sometimes or somewhat	Often or much	Very often or very much	n/a
7	Problems with sleeping					
8	Getting hurt or injured					
9	Avoiding exercise					
10	Problems keeping regular appointments with doctor/dentist					
11	Problems keeping up with household chores					
12	Problems managing money					
Е	SELF-CONCEPT					
1	Feeling bad about yourself					
2	Feeling frustrated with yourself					
3	Feeling discouraged					
4	Not feeling happy with your life					
5	Feeling incompetent					
F	SOCIAL					
1	Getting into arguments					
2	Trouble cooperating					
3	Trouble getting along with people					
4	Problems having fun with other people					
5	Problems participating in hobbies					
6	Problems making friends					
7	Problems keeping friends					
8	Saying inappropriate things					
9	Complaints from neighbours					
G	RISK					
1	Aggressive driving					
2	Doing other things while driving					
3	Road rage					
4	Breaking or damaging things					
5	Doing things that are illegal					
6	Being involved with the police					
7	Smoking cigarettes					
8	Smoking marijuana					
9	Drinking alcohol					
10	Taking "street" drugs					
11	Sex without protection (birth control, condom)					
12	Sexually inappropriate behaviour					
13	Being physically aggressive					
14	Being verbally aggressive					

Number of Items Scored '2' or '3'

- ' '	amber of items scored 2 of 5
Α	Family
В	Work
С	School
D	Life Skills
Е	Self-concept
F	Social
G	Risk
	Total

Total Score

Family
Work
School
Life Skills
Self-concept
Social
Risk
Total

Mean Score (N/A items not included in calculation)

Α	Family	
В	Work	
С	School	
D	Life Skills	
Е	Self-concept	
F	Social	
G	Risk	
	Total	

This scale is copyrighted by Margaret Danielle Weiss, MD PhD. The scale can be used by clinicians and researchers free of charge and can be posted on the Internet or replicated as needed. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the Internet, use it in research or plan to create a translation.

Return to: Completed by: Patient Other If other, please specify relationship to patient: This is a problem checklist. Not all the items will be appropriate for you. Please indicate the level of difficulty associated with each item: None: This is not a problem or concern. Any challenges are age-appropriate Mild: Some difficulty (somewhat) Moderate: This is a problem (pretty much)	For Offic	e Use Patient ID:			
If other, please specify relationship to patient: This is a problem checklist. Not all the items will be appropriate for you. Please indicate the level of difficulty associated with each item: None: This is not a problem or concern. Any challenges are age-appropriate Mild: Some difficulty (somewhat)		Return to:			
This is a problem checklist. Not all the items will be appropriate for you. Please indicate the level of difficulty associated with each item: None: This is not a problem or concern. Any challenges are age-appropriate Mild: Some difficulty (somewhat)	Date:		Completed by:	Patient	Other
None: This is not a problem or concern. Any challenges are age-appropriate Mild: Some difficulty (somewhat)	lf other, pl	ease specify relationship	to patient:		
☐ Mild: Some difficulty (somewhat)	This is a prob	olem checklist. Not all the items	will be appropriate for you. Please in	dicate the level of difficulty	associated with each item:
		•	, , , , , , , ,	opriate	
☐ Moderate: This is a problem (pretty much)		J `	,		
Severe: This is a serious problem (very much) NA: Not applicable. Check this column if the item is not a problem or not relevant to you.	П				

Difficulty with:	None (0)	Mild (1)	Moderate (2)	Severe (3)	N/A
ATTENTION: MeanScore					
Attention to details or makes careless mistakes					
Holding attention or remaining focused					
Listening or mind seems elsewhere					
Instructions or finishing work					
Organizing (e.g. time, messy, deadlines)					
Avoids or dislikes activities requiring effort					
Loses or misplaces things					
Easily distracted					
Forgetful (e.g. chores, bills, appointments)					
HYPERACTIVITY AND IMPULSIVITY: Mean Score					
Fidgets or squirms					
Trouble staying seated					
Runs about or feels restless inside					
Loud or difficulty being quiet					
Often on the go					
Talks too much					
Blurts out comments					
Dislikes waiting (e.g. taking turns or in line)					
Interrupts or intrudes on others (e.g. butting in)					
OPPOSITIONAL: MeanScore					
Loses temper					
Easily annoyed					
Angry and resentful					
Argues					
Defiant					
Deliberately annoys other people					
Blames other people rather than themselves					
Spiteful					

Difficulty with:	None (0)	Mild (1)	Moderate (2)	Severe (3)	N/A			
DEVELOPMENT AND LEARNING: Mean Score								
Wetting, (after age 5)								
Soiling (after age 4)								
Reading								
Spelling								
Math								
Writing								
AUTISM SPECTRUM: Mean Score								
Difficulty with talking back and forth								
Unusual eye contact or body language								
Speech is odd (monotone, unusual words)								
Restricted, fixed, intense interests								
Odd, repetitive movements (e.g. flapping)								
Does not easily "chit chat"								
MOTOR DISORDERS: Mean Score								
Repetitive noises (e.g. sniffing, throat clearing)								
Repetitive movements (blinking, shrugging)								
Clumsy								
PSYCHOSIS: Mean Score								
Hearing voices that are not there								
Seeing things that are not there								
Scrambled thinking								
Paranoia (feeling people are against you)								
DEPRESSION: Mean Score								
Sad or depressed most of the day								
Lack of interest or pleasure most of the day								
Weight loss, weight gain or change in appetite								
Difficulty sleeping or sleeping too much								
Agitated								
Slowed down								
Feels worthless								
Tired, no energy								
Hopeless, pessimistic								
Withdrawal from usual interests/people								
Decrease in concentration								

Difficulty with:	None (0)	Mild (1)	Moderate (2)	Severe (3)	N/A			
MOOD REGULATION: Mean Score								
Distinct period(s) of intense excitement								
Distinct period(s) of inflated self-esteem, grandiose								
Distinct period(s) of increased energy								
Distinct period(s) of decreased need for sleep								
Distinct Period(s) of racing thoughts or speech								
Irritable behaviour that is out of character								
Rage attacks, anger outbursts, hostility								
SUICIDE: Mean Score								
Suicidal thoughts								
Suicide attempt(s) or a plan								
ANXIETY: Mean Score								
Intense fears (e.g. heights, crowds, spiders)								
Fear of social situations or performing								
Panic attacks								
Fear of leaving e.g. the house, public transportation.								
Worrying and/or anxious most days								
Nervous, can't relax								
Obsessive thoughts (e.g. germs, perfectionism)								
Compulsive rituals (e.g. checking, hand washing)								
Hair pulling, nail biting or skin picking								
Preoccupation with physical complaints								
Chronic pain								
STRESS RELATED DISORDERS: Mean Score								
Physical abuse								
Sexual abuse								
Neglect								
Other severe trauma								
PTSD: Mean Score								
Flashbacks or nightmares								
Avoidance								
Intrusive thoughts of traumatic events								
SLEEP: Mean Score								
Trouble falling asleep or staying asleep								
Excessive daytime sleepiness								
Snoring or stops breathing during sleep								

Difficulty with:	None (0)	Mild (1)	Moderate (2)	Severe (3)	N/A
EATING: Mean Score					
Distorted body image					
Underweight					
Binge eating					
Overweight					
Eating too little or refusing to eat					
CONDUCT: Mean Score					
Verbal aggression					
Physical aggression					
Used a weapon against people (stones, sticks etc.)					
Cruel to animals					
Physically cruel to people					
Stealing or shoplifting					
Deliberately sets fires					
Deliberately destroys property					
Frequent lying					
Lack of remorse or guilt					
Lack of empathy or concern for others					
SUBSTANCE USE: Mean Score					
Misuse of prescription drugs					
Alcohol > 14 drinks/week or 4 drinks at once					
Smoking or tobacco use					
Marijuana					
Other street drugs					
Excessive over the counter medications					
Excessive caffeine (colas, coffee, tea, pills)					
ADDICTIONS: Mean Score					
Gambling					
Excessive internet, gaming or screen time					
Other addiction					

Difficulty with:	None (0)	Mild (1)	Moderate (2)	Severe (3)	N/A		
PERSONALITY: Mean Score							
Self-destructive							
Stormy, conflicted relationships							
Self-injurious behaviour (e.g. cutting)							
Low self-esteem							
Manipulative							
Self-centered							
Arrogant							
Suspicious							
Deceitful with no remorse							
Breaking the law or antisocial behaviour							
Tends to be a loner							
OTHER (Please indicate any other difficulties): Mea	OTHER (Please indicate any other difficulties): Mean Score						

MEAN SCORE

(N/A items not included in calculation)

ATTENTION	
HYPERACTIVITY AND IMPULSIVITY	
OPPOSITIONAL	
DEVELOPMENT AND LEARNING	
AUTISM SPECTRUM	
MOTOR DISORDERS	
PSYCHOSIS	
DEPRESSION	
MOOD REGULATION	
SUICIDE	

ANXIETY	
STRESS RELATED DISORDERS	
PTSD	
SLEEP	
EATING	
CONDUCT	
SUBSTANCE USE	
ADDICTIONS	
PERSONALITY	
OTHER	

*Calculated from	answered guestions
Calculated II OI II	alisweleu uuesiioli:

This scale is copyrighted by Margaret Danielle Weiss, MD PhD. The scale can be used by clinicians and researchers free of charge and can be posted on the Internet or replicated as needed. Please contact Dr. Weiss at margaret.weiss@icloud.com if you wish to post the scale on the Internet, use it in research or plan to create a translation.

Patient Health Questionnaire-8 (PHQ-8)

For Office Use					
Date:		Completed by:	Patient	Other	
If other, please s	pecify relationship to	patient:			

Over the last 2 weeks, how often have you been bothered by any of the following:	Not at all	Several days	More than half the days	Nearly every day
Little interest or pleasure in doing things				
Feeling down, depressed, irritable or hopeless				
3. Trouble falling or staying asleep, or sleeping too much				
4. Feeling tired or having little energy				
5. Poor appetite or overeating				
6. Feeling bad about yourself – or that you are a failure or have let yourself or your family down				
7. Trouble concentrating on things, such as school work, reading or watching television				
8. Moving or speaking so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual				

TOTAL SCORE

General Anxiety Disorder-7 (GAD-7)

For Office Use	Patient ID:					
	Return to:					
Date:		Completed by:	Patient	Oth	er	
lf other, please	specify relationship to p	atient:				
	weeks, how often have y e following problems?	ou been	Not at all	Several days	More than half the days	Nearly every day
1. Feeling nervous, anxious, or on edge						
2. Not being	able to stop or control w	orrying				
3. Worrying too much about different things						
4. Trouble re	elaxing					
5. Being so r	estless that it's hard to si	t still				
6. Becoming	easily annoyed or irritab	le				
7. Feeling af	raid as if something awfu	l might happen				
				TOTAL SC	ORE	

If you checked off any problem on this questionnaire so far, how difficult have these problems made it for you to do your work, take care of things at home, or get along with other people?					
Not difficult at all	Somewhat difficult	Very difficult	Extremely difficult		